

## X322PV-HDR 32" Pink Color Series HDTV




# Specification

Display	
Active Screen Size	31.5" Diagonal Viewable
Native Resolution	1366 x 768
Refresh Rate	Up to 60Hz Refresh Rate
Aspect Ratio	16:9
Response Time	8ms (G-to-G)
Dynamic Contrast Ratio	1,000,000:1
Color Depth	16.7M (8-bit True)
Contrast Ratio	3,000:1
Brightness (Typ.)	250 cd/m <sup>2</sup>
Viewing Angle	Vertical: 178° / Horizontal: 178°
Features	
On Screen Display Control (OSD)	Standard/Mild/Dynamic/User
Color Temperature	Warm, Normal, Cool, Standards
Adjustable Picture Control*	Brightness, Contrast, Backlight, Color, Tint, Sharp
Backlight	50,000+ Hour
Built-in Tuner	ATSC, NTSC, Clear QAM

SCEPTRE®	
OSD Supported Languages	English / Spanish / French
Weak Signal Enhancement	Yes
Comb Filter	3D
De-interlace Technology	3D
Auto Dynamic Contrast Mode	Yes
Noise Reduction	Yes
MPEG Noise Reduction	Yes
Surround Sound Mode	Yes
Sound Equalizer Settings	Yes (7-band)
Auto Volume Level Control	Yes
Wall Mountable	Yes
Swivel Angles	± 20º (Right & Left)
Neck & Base Detachable	Yes
Energy Guide	X322UV-HDR
Audio Features	
Speakers	2 x 10W/8Ω
Video Features	
Picture Mode	Normal, Wide, Cinema, Zoom
Inputs	
PC Audio In	1 x Audio in terminal (black)
Outputs	
Analog Audio Output ( L + R)	1 (2 x RCA terminals (white, red)
Headphone Output	1 x Earphone terminal (black)
HDTV Signal Compatibility	
	$1260 \times 760 \oplus 601 = (Network May) etc. (5, 1200 \times 720 \oplus 601) = etc. (5, 1200 \times 600 \oplus 601)$
VGA Input Support	1360 x 768 @ 60Hz (Native & Max.) 1280 x 720 @ 60Hz 1280 x 600 @ 60Hz 1024 x 768 @ 60Hz 800 x 600 @ 60Hz
Inputs & Outputs	
HDMI (# of Ports & Version)	3 x HDMI
Supported HDMI Signals	1080/24p, 1080/60p, 1080i, 720p, 480p, 480i
Cable / Antenna Input	1 x IEC-Connector 75Ω
Supported HDTV Signals	1080p, 1080i, 720p, 480p, 480i
SPDIF Audio Output	1 x SPDIF (Coaxial, Orange)
VGA (# of Ports)	1 x D-SUB terminal (blue,15 pin)
Component (YPbPr) Input	1 x Component (Audio input share with Composite)
USB Composite Video	1 x USB 2.0
	1 x Composite
Mechanical Features	200
VESA Mount Pattern (mm)	200mm x 100mm
VESA Mount Screw Size (mm)	M4 x 6mm
Dimensions	
With Stand (inches, W x H x D)	29.1" x 19.3" x 8.1"
Without Stand (Inches, W x H x D)	29.1" x 17.3" x 3.5"
Carton Box Dimension (inches, W x H :	

SCEPTRE®	
Weight	
Net Weight with Stand (lbs)	12.32 lbs
Net Weight without Stand (lbs)	11.44 lbs
Gross Weight (lbs)	17.16 lbs
Power	
Power Range (V, A, Hz)	100 - 240 VAC, 60Hz, 3.0A (Max.)
Power Consumption (Typical)	50W (Maximum), 43W (Typical), < 1W (Standby)
Regulations / Certifications	
Certificates	FCC, cTUVus, Energy Star V6.0, ISTA 3A
Warranty	
Limited Parts and Labor	One Year
What's in the Box?	
Remote Control Model No	<a< td=""></a<>
	href="https://www.sceptre.com/Accessories/Remote-Control/TV-Remote-Control-142021
	270010C-product745category19category69.html" >142021270010C





#### LED

With sharper contrasts of light and darks, LED display delivers a vast array of rich colors, ensuring that moving images have never been so pleasing to the eyes.



#### HDMI

HDMI not only delivers superior digital video and audio, but also, connects both to the TV with only one cable.



#### **Coaxial Digital Out**

Offering superior backwards compatibility for stereo receivers. This Sceptre TV is equipped with a Coaxial Digial audio output which will enrich your TV audio experience with the coaxial supported soundbar, soundbase or audio equipment.



### USB

Let's you view your pictures as a slideshow or listen to your favorite music via the USB port. Just insert your flash drive into the USB port for the ultimate entertainment.



#### **Customer Service**

Our customer service representatives are, and have always been, based in the USA, guaranteeing that our customers' needs are met as efficiently as possible.



#### **30+ Years of Experience**

Founded in City of Industry, CA over 30 years ago, Sceptre Inc. made a promise to create & deliver superior products for remarkably affordable prices, a rare tradition that continues today.