

X23RV-KOMODO LCD HDTV



Specification

Display

| | |
|------------------------|---------------|
| Active Screen Size | 23" |
| Native Resolution | 1366 x 768 |
| Dynamic Contrast Ratio | Yes |
| Contrast Ratio | 700:1 Typical |

LED Panel

| | |
|--------------------|--|
| Refresh Rate | 60Hz |
| Aspect Ratio | 16:9 Wide, 16:9 Normal, 4:3 Wide, 4:3 normal 4:3 zoom |
| Brightness | 500 cd / m2 |
| Response Time | 8 ms |
| Colors | 16.7 million |
| Viewing Angle | 160° (horizontal) / 140° (vertical) |
| LED Backlight Life | > 50,000 hours |

Audio Features

| | |
|---------------------------|---------------------|
| Auto Volume Level Control | Yes |
| Speakers | 7 watts per channel |

| | |
|--|---|
| Equalizer Settings | N/A |
| Surround Sound Mode | N/A |
| Video Features | |
| OSD (On Screen Display Control) | Contrast / Brightness / Sharpness / Saturation / Tint / RGB |
| Picture Mode | Custom / Standard / Mild / Vivid |
| OSD Supported Languages / Subtitles | English |
| Other Features | |
| Weak Signal Enhancement | No |
| Comb Filter | Digital Noise Reduction |
| De-interlace Technology | N/A |
| Noise Reduction | 3D Digital |
| MPEG Noise Reduction | N/A |
| Inputs & Outputs | |
| HDMI (# of Ports & Version) | 3 x HDMI Version 1.3 ports |
| Supported HDMI Signals | up to 1080P |
| Cable / Antenna Input | 1 |
| Supported HDTV Signals | 1080P, 1080i, 720P, 480P, 480i |
| SPDIF Audio Output | 1 (Optical SPDIF) |
| VGA (# of Ports) | 1 |
| Component (YPbPr) Input | 1 |
| 3.5mm Headphone Jack (Output) | 1 |
| Supported VGA Signals | 1920 X 1080 @60hz (Native resolution) 1024 x 768 @60hz 800 x 600, 640x480 |
| USB | 0 |
| Composite Video | 1 |
| Analog Audio Output (L + R) | 0 |
| Mechanical Features | |
| Tilt Angles | No |
| Neck Stand Swivel Angle | No |
| Neck Height Adjustable | No |
| Neck / Stand Detachable | Yes |
| VESA Mount Pattern (mm) | 400 (W) x 200 (H) |
| VESA Mount Screw Size (mm) | M6 |
| Dimensions | |
| With Stand (inches, W x H x D) | 38.98"(W) x 27.9"(H) x 13"(D) |
| Without Stand (Inches, W x H x D) | 38.98"(W) x 25.7"(H) x 4.2"(D) |
| Carton Box Dimension (inches, W x H x D) | None |
| Weight | |
| Net Weight with Stand (lbs) | 49.6 lbs |
| Net Weight without Stand (lbs) | N/A |
| Gross Weight (lbs) | 62.8 lbs |

| Power | |
|------------------------------|--|
| Power Range (V, A, Hz) | 110-240V, 3.0A, 50/60Hz (Max.) |
| Power Consumption (Typical) | <300W (Typical) <2W (Standby) (AC 110V) |
| Regulations / Certifications | |
| Certifications | CSA, CSA-US, FCC Class B |
| Warranty | |
| Limited Parts and Labor | One Year Limited Parts and Labor |

