

## X405BV-FMQR 40" LED TV




# Specification

| Display                         |   |  |
|---------------------------------|---|--|
| Active Screen Size              | 39.5" Diagonal Viewable                             |  |
| Native Resolution               | 1920 x 1080   |  |
| Refresh Rate                    | Up to 60Hz Refresh Rate                             |  |
| Aspect Ratio                    | 16:9  |  |
| Response Time                   | 8.5 ms (G-to-G)                                     |  |
| Dynamic Contrast Ratio          | 1,000,000:1   |  |
| Color Depth                     | 16.7 Million (Dithered 10 bit)                      |  |
| Contrast Ratio                  | 5,000:1   |  |
| Brightness (Typ.)               | 250 cd/m <sup>2</sup>                               |  |
| Viewing Angle                   | Vertical: 176° / Horizontal: 176°                   |  |
| Backlight Life                  | 50,000+ Hour  |  |
| Features                        |   |  |
| On Screen Display Control (OSD) | Picture, Sound, Channel, Setup                      |  |
| Color Temperature               | Warm, Normal, Cool, Standards                       |  |
| Adjustable Picture Control*     | Brightness, Contrast, Backlight, Color, Tint, Sharp |  |
| Picture Presets                 | Normal, Wide, Cinema, Zoom                          |  |

| SCEPTRE®                                    |  |  |
|---|--|--|
| Built-in Tuner                              | ATSC / NTSC  |  |
| OSD Supported Languages                     | English (Default), Spanish, French, Chinese            |  |
| Weak Signal Enhancement                     | Yes  |  |
| Comb Filter                                 | 3D   |  |
| De-interlace Technology                     | 3D   |  |
| Auto Dynamic Contrast Mode                  | Yes  |  |
| Noise Reduction                             | Yes  |  |
| MPEG Noise Reduction                        | Yes  |  |
| Surround Sound Mode                         | Yes  |  |
| Sound Equalizer Settings                    | Yes  |  |
| Auto Volume Level Control                   | Yes  |  |
| Wall Mountable                              | Yes  |  |
| Swivel Angles                               | +/- 25 Degree  |  |
| Neck & Base Detachable                      | Yes  |  |
| Energy Guide                                | X415BV-FMQR  |  |
| Audio Features                              |  |  |
| Speakers                                    | 2 x 10W 8Ω   |  |
| Video Features                              |  |  |
| White Balance                               | Available  |  |
| Inputs & Outputs                            |  |  |
| HDMI (# of Ports & Version)                 | 3 x HDMI   |  |
| Supported HDMI Signals                      | 1080p, 1080i, 720P, 480P, 480i                         |  |
| Cable / Antenna Input                       | 1 × IEC-Connector 75 Ohm                               |  |
| Supported HDTV Signals                      | 1080p, 1080i, 720P, 480P, 480i                         |  |
| SPDIF Audio Output                          | 1 × SPDIF (Coaxial, Black)                             |  |
| VGA (# of Ports)                            | 1 × D-SUB terminal (blue, 15 pin)                      |  |
| Component (YPbPr) Input                     | 1 × Component (Audio input share with composite)       |  |
| 3.5mm Headphone Jack (Output)               | 1 × Earphone terminal (black)                          |  |
| USB   | 1 × USB 2.0  |  |
| Composite Video                             | $1 \times Composite$ (Audio input share with component |  |
| Analog Audio Output (L + R)                 | 1 (2 × RCA terminals (white, red))                     |  |
| HDTV Signal Compatibility                   |  |  |
| VGA Input Support                           | 1920 x 1080 @ 60Hz (Native & Max),                     |  |
|   | 1680 x 1050 @ 60Hz,                                    |  |
|   | 1360 x 768 @ 60Hz,                                     |  |
|   | 1280 x 1024 @ 60Hz,                                    |  |
|   | 1024x768 @ 60Hz  |  |
|   | 800x600 @ 60Hz   |  |
| Mechanical Features                         |  |  |
| VESA Mount Pattern (mm)                     | 200mm x 200mm  |  |
| VESA Mount Screw Size (mm)                  | Upper two: M5 x 12mm; Bottom two: M5 x 6mm             |  |
| Dimensions                                  |  |  |
| With Stand (inches, $W \times H \times D$ ) | 35.90" x 22.80" x 8.26"                                |  |

| SCEPTRE®                                       |   |
|--|---|
| Without Stand (Inches, $W \times H \times D$ ) | 35.90" x 20.84" x 3.46"   |
| Carton Box Dimension (inches, W x H x I        | D)40.94" x 27.83" x 6.88"   |
| Weight   |   |
| Net Weight with Stand (lbs)                    | 18.90 lbs   |
| Net Weight without Stand (lbs)                 | 17.24 lbs   |
| Gross Weight (lbs)                             | 24.42 lbs   |
| Power  |   |
| Power Range (V, A, Hz)                         | 100 - 240VAC,   |
|  | 50/60 Hz,   |
|  | 3.0A (Max.)   |
| Power Consumption (Typical)                    | 68W (Maximum),  |
|  | 61W (Typical),  |
|  | $\leq$ 1 W (Standby)  |
| <b>Regulations / Certifications</b>            |   |
| Certificates                                   | FCC, cTUVus, Energy Star V6.0, ISTA 3A  |
| Warranty                                       |   |
| Limited Parts and Labor                        | One Year  |
| What's in the Box?                             |   |
| Remote Control Model No                        | <a< td=""></a<>   |
|  | href="https://www.sceptre.com/Accessories/Remote-Control/TV-Remote-Control-142021 |
|  | 270010C-product745category19category69.html" >142021270010C                       |





#### LED

With sharper contrasts of light and darks, LED display delivers a vast array of rich colors, ensuring that moving images have never been so pleasing to the eyes.



#### HDMI

HDMI not only delivers superior digital video and audio, but also, connects both to the TV with only one cable.



#### **Coaxial Digital Out**

Offering superior backwards compatibility for stereo receivers. This Sceptre TV is equipped with a Coaxial Digial audio output which will enrich your TV audio experience with the coaxial supported soundbar, soundbase or audio equipment.



#### USB

Let's you view your pictures as a slideshow or listen to your favorite music via the USB port. Just insert your flash drive into the USB port for the ultimate entertainment.



#### DTS SRS TruSurround HD

DTS SRS TruSurround HD delivers an enveloping combination of smooth treble and maximum bass response. The broad sound capability produces dialog that is crisp and audible.



#### **Customer Service**

Our customer service representatives are, and have always been, based in the USA, guaranteeing that our customers' needs are met as efficiently as possible.





### **30+ Years of Experience**

Founded in City of Industry, CA over 30 years ago, Sceptre Inc. made a promise to create & deliver superior products for remarkably affordable prices, a rare tradition that continues today.