

E555BV-FMQC 55" LED TV



Specification

Display	
Active Screen Size	54.6" Diagonal Viewable
Native Resolution	1920 x 1080
Refresh Rate	MEMC 120
Aspect Ratio	16:9
Response Time	6.5 ms (G-to-G)
Dynamic Contrast Ratio	1,000,000 : 1
Color Depth	16.7M
Contrast Ratio	3,000 : 1
Brightness (Typ.)	250 cd/m²
Viewing Angle	178º (Horizontal) / 178º (Vertical)
Backlight Life	30,000+ Hours
Features	
On Screen Display Control (OSD)	Picture, Sound, Channel, Setup
Color Temperature	Warm, Normal, Cool, Standards
Adjustable Picture Control*	Brightness, Contrast, Backlight, Color, Tint, Sharp
Picture Presets	Normal, Wide, Cinema, Zoom

Built-in Tuner	ATSC / NTSC
OSD Supported Languages	English (Default), Spanish, French, Chinese
Weak Signal Enhancement	Yes
Comb Filter	3D
De-interlace Technology	3D
Auto Dynamic Contrast Mode	Yes
Noise Reduction	Yes
MPEG Noise Reduction	Yes
Surround Sound Mode	YES (SRS TruSurround HD)
Sound Equalizer Settings	Yes (5-band)
Auto Volume Level Control	Yes
Wall Mountable	Yes
Neck & Base Detachable	Yes
Energy Guide	Yes

Audio Features

Speakers	2 × 10W/8Ω
----------	------------

Video Features

White Balance	Available
---------------	-----------

Inputs & Outputs

HDMI (# of Ports & Version)	3 × HDMI
Supported HDMI Signals	1080/24p, 1080/60p, 1080i, 720p, 480p, 480i
Cable / Antenna Input	1 × IEC-Connector 75Ω
3.5mm Auxiliary Input Jack	1 × Audio in terminal (black)
Supported HDTV Signals	1080p, 1080i, 720p, 480p, 480i
SPDIF Audio Output	1 × SPDIF (Optical, Black)
VGA (# of Ports)	1 × D-SUB terminal (Blue, 15 pin)
Component (YPbPr) Input	1 × Component (Audio input share with composite)
3.5mm Headphone Jack (Output)	1 × Earphone terminal (black)
USB	1 × USB 2.0
Composite Video	1 × Composite
Analog Audio Output (L + R)	1 (2 × RCA terminals (white, red))

HDTV Signal Compatibility

VGA Input Support	1920 x 1080 (Native & Max) 1360 x 768 1280 x 1024 1024 x 768 800 x 600
-------------------	--

Mechanical Features

VESA Mount Pattern (mm)	600mm x 400mm
VESA Mount Screw Size (mm)	Upper two: M6 x 23mm; Bottom two: M6 x 30mm

Dimensions


With Stand (inches, W x H x D)	48.82" x 30.51" x 10.63"
Without Stand (Inches, W x H x D)	48.82" x 28.30" x 3.01"
Carton Box Dimension (inches, W x H x D)	53.39" x 34.09" x 9.29"

Weight

Net Weight with Stand (lbs)	38.5 lbs
Net Weight without Stand (lbs)	30.2 lbs

Gross Weight (lbs)	55.4 lbs
Power	
Power Range (V, A, Hz)	100 – 240 VAC 50/60 Hz 3A (Max.)
Power Consumption (Typical)	110W (Max.) 50W (Typical) ≤0.5 W (Standby)
Regulations / Certifications	
Energy Star	V7.0
Certificates	cETLus, FCC, Energy Star, ISTA 3A
Compliances	HDMI, DTS-SRS
Warranty	
Limited Parts and Labor	One Year
What's in the Box?	
Remote Control Model No	142021270010C

Key Features



LED

With sharper contrasts of light and darks, LED display delivers a vast array of rich colors, ensuring that moving images have never been so pleasing to the eyes.



HDMI

HDMI not only delivers superior digital video and audio, but also, connects both to the TV with only one cable.



Coaxial Digital Out

Offering superior backwards compatibility for stereo receivers. This Sceptre TV is equipped with a Coaxial Digital audio output which will enrich your TV audio experience with the coaxial supported soundbar, soundbase or audio equipment.



USB

Let's you view your pictures as a slideshow or listen to your favorite music via the USB port. Just insert your flash drive into the USB port for the ultimate entertainment.



DTS SRS TruSurround HD

DTS SRS TruSurround HD delivers an enveloping combination of smooth treble and maximum bass response. The broad sound capability produces dialog that is crisp and audible.



Customer Service

Our customer service representatives are, and have always been, based in the USA, guaranteeing that our customers' needs are met as efficiently as possible.

Key Features



30+ Years of Experience

Founded in City of Industry, CA over 30 years ago, Sceptre Inc. made a promise to create & deliver superior products for remarkably affordable prices, a rare tradition that continues today.