

## E325BD-FMQR 32" LED TV DVD Combo



# Specification

Display	
Active Screen Size	31.5" Diagonal Viewable
Panel Type	VA (Vertical Alignment)
Native Resolution	1920 x 1080
Refresh Rate	60Hz
Aspect Ratio	16:9
Response Time	8 ms (G-to-G)
Pixel Pitch	0.45735mm (H) x 0.4494mm (V)
Dynamic Contrast Ratio	1,000,000:1
Color Gamut	sRGB: 88% DCI-P3: 72%
Color Depth	16.7M (8-bit)
Contrast Ratio	3,000:1
Brightness (Typ.)	250 cd/m²
Viewing Angle	178º (Horizontal) / 178º (Vertical)
Backlight Life	50,000 Hours
Surface Treatment	Antiglare (Haze 1%)
Features	

On Screen Display Control (OSD)         Picture, Sound, Channel, Setup           Color Temperature         Warm, Normal, Cool, Standards           Adjustable Picture Control*         Brightness, Controst, Backlight, Color, Tint, Sharp           Picture Presets         Normal, Wide, Cinema, Zoom           Built-in Tuner         ATSC / NTSC           SDS Supported Languages         English (Default), Spanish, French, Chinese           Weak Signal Enhancement         Yes           Built-in DVD Player         Yes           Comb Filter         3D           Obe-interlace Technology         3D           Auto Dynamic Contrast Mode         Yes           Noise Reduction         Yes           Surround Sound Mode         Yes           Surround Sound Mode         Yes           Surround Sound Mode         Yes           Surround Sound Mode         Yes           Wall Mountable         Yes           Surloud Requalizer Settings         Yes (5-band)           Auto Volume Level Control         Yes           Wall Mountable         Yes           Svivel Angles         30° (Left & Right)           Neck & Base Detachable         Yes           Video Foatures         Available           Inputs         Available	SCEPTRE®		
Adjustable Picture Control* Picture Presets Normal, Wide, Cinema, Zoom Bult-in Tuner ATSC / NTSC  SUBJURI-IN TUNER  Weak Signal Enhancement Yes Built-in DVD Player Yes Comb Filter 3D  Built-in DVD Player Yes Comb Filter 3D  Built-in DVD Player Yes Comb Filter 3D  Buthance Contrast Mode Yes Noise Reduction Yes Surround Sound Mode Yes Sound Equalizer Settings Yes (3-band) Auto Dynamic Contrast Mode Yes Sound Equalizer Settings Yes (3-band) Auto Volume Level Control Yes Wall Mountable Yes Sowel Angles 30° (Left & Right) Neck & Base Detachable Yes  Audio Features  White Balance Available  Inputs & Ampro Outputs  HDMI (a of Ports & Version) 3 × HDMI Supported HDM Signals 1080/24p, 1080/60p, 1080i, 720p, 480p, 480i Cable / Antenna Input Jack Yes Supported HDM Signals 10800/180i, 720p, 480p, 480i Cable / Antenna Input Jack Yes Supported HDM Signals 10800/180i, 720p, 480p, 480i Cable / Antenna Input Jack Yes Supported HDM Signals 10800/180i, 720p, 480p, 480i Cable / Antenna Input Jack Yes Supported HDM Signals 10800/180i, 720p, 480p, 480i Cable / Antenna Input Jack Yes Supported HDM Signals 10800/180i, 720p, 480p, 480i Cable / Antenna Input Jack Yes Supported HDM Signals 10800/180i, 720p, 480p, 480i Cable / Antenna Input Jack Yes Supported HDM Signals 10800/180i, 720p, 480p, 480i Cable / Antenna Input Jack Yes Supported HDM Signals 10800/180i, 720p, 480p, 480i Cable / Antenna Input Jack Yes Supported HDM Signals 10800/180i, 720p, 480p, 480i Cable / Antenna Input Jack Yes Supported HDM Signals 10800/180i, 720p, 480p, 480i Cable / Antenna Input Jack Yes Supported HDM Signals 10800/180i, 720p, 480p, 480i Cable / Antenna Input Jack Yes Supported HDM Signals 10800/180i, 720p, 480p, 480i Cable / Antenna Input Jack Yes Supported HDM Signals 10800/180i, 720p, 480p, 480i Cable / Antenna Input Jack Yes Supported HDM Signals 10800/180i, 720p, 480p, 480i Cable / Antenna Input Jack Yes Supported HDM Signals 10800/180i, 720p, 480p, 480i Cable /	On Screen Display Control (OSD)	Picture, Sound, Channel, Setup	
Picture Presets         Normal, Wide, Cinema, Zoom           Built-in Tuner         ATSC / NTSC           OSD Supported Languages         English (Default), Spanish, French, Chinese           Weak Signal Enhancement         Yes           Built-in DVD Player         Yes           Comb Filter         3D           De-interlace Technology         3D           Auto Dynamic Contrast Mode         Yes           Surround Sound Mode         Yes           Surround Sound Mode         Yes           Sund Equalizer Settings         Yes (S-band)           Auto Volume Level Control         Yes           Wall Mountable         Yes           Swikel Angles         30° (Left & Right)           Neck & Base Detachable         Yes           Vactor Features         2 × 10W/8Ω           Video Features         2 × 10W/8Ω           Video Foatures         Video Foatures           White Balance         Available           Inputs & Outputs         Video Foatures           White Foatures         3 × HDMI           Supported HDMI Signals         1080/24p, 1080/60p, 1080, 720p, 480p, 480p           Supported HDMI Signals         1080/24p, 1080/60p, 120p, 480p, 480p           Supported HDMI Signals         1080/24p, 108	Color Temperature	Warm, Normal, Cool, Standards	
Built-in Tuner         ATSC / NTSC           OSD Supported Languages         English (Default), Spanish, French, Chinese           Weak Signal Enhancement         Yes           Built-in DVD Player         Yes           Comb Filter         3D           De-interlace Technology         3D           Auto Dynamic Contrast Mode         Yes           Noise Reduction         Yes           Surround Sound Mode         Yes           Swid Angles         30° (Left & Right)           Neck & Base Detachable         Y	Adjustable Picture Control*	Brightness, Contrast, Backlight, Color, Tint, Sharp	
OSD Supported Languages         English (Default), Spanish, French, Chinese           Weak Signal Enhancement         Yes           Built-in DVD Player         Yes           Comb Filter         3D           De-interface Technology         3D           Auto Dynamic Contrast Mode         Yes           Noise Reduction         Yes           Surround Sound Mode         Yes           Wall Mountable         Yes           Wall Mountable         Yes           Wall Mountable         Yes           Wall Angles         Neck Regard           Vide Technolic         Yes           Audio Features         Yes           Speakers         2 x 10W/80           Vide Features         Vide Features           White Balance         Available           Inputs & Amprovated         Available	Picture Presets	Normal, Wide, Cinema, Zoom	
Weak Signal Enhancement         Yes           Built-in DVD Player         Yes           Comb Filter         3D           De-interlace Technology         3D           Auto Dynamic Contrast Mode         Yes           Noise Reduction         Yes           Surround Sound Mode         Yes           Sound Equalizer Settings         Yes (5-band)           Auto Volume Level Control         Yes           Wall Mountable         Yes           Swivel Angles         30° (Left & Right)           Neck & Base Detachable         Yes           Audio Features         2 x 10W/80           Video Features         Video Features           White Balance         Available           Inputs & Sampr, Outputs         Yes           HDMI (# of Ports & Version)         3 x HDMI           Supported HDMI Signals         1080/24p, 1080/60p, 1080i, 720p, 480p, 480i           Cable / Antenna Input         1 x IEC-Connector 750           3.5mm Auxiliary Input Jack         Yes           Supported HDTV Signals         1080p, 1080i, 720p, 480p, 480i           SPDIF Audio Output         1 x SPDIF (Optical, Black)           VGA (# of Ports)         1 x Component (Audio input share with composite)           3.5mm Headphone jack (Output)	Built-in Tuner	ATSC / NTSC	
Built-in DVD Player   Yes	OSD Supported Languages	English (Default), Spanish, French, Chinese	
Comb Filter         3D           De-interlace Technology         3D           Auto Dynamic Contrast Mode         Yes           Noise Reduction         Yes           Surround Sound Mode         Yes           Sound Equalizer Settings         Yes (5-band)           Auto Volume Level Control         Yes           Wall Mountable         Yes           Swivel Angles         30° (Left & Right)           Neck & Base Detachable         Yes           Audio Features         2 × 10W/8Ω           Video Features         Video Features           White Balance         Available           Inputs & Version         3 × HDMI           Supported HDMI Signals         1860/24p, 1080/60p, 1080; 720p, 480p, 480i           Cable / Antenna Input         1 × IEC-Connector 75Ω           3.5mm Auxiliary Input Jack         Yes           Supported HDTV Signals         1080/24p, 1080/60p, 1480p, 480i           SPDIF Audio Output         1 × SPDIF (Optical, Black)           VGA (# of Ports)         1 × SPDIF (Optical, Black)           VGA (# of Ports)         1 × Component (Audio input share with composite)           3.5mm Headphone Jack (Output)         Yes           Supported VGA Signals         1920 × 1080 (Native & Max),           <	Weak Signal Enhancement	Yes	
De-interface Technology	Built-in DVD Player	Yes	
Auto Dynamic Contrast Mode  Noise Reduction  Yes  Surround Sound Mode  Yes  Sound Equalizer Settings  Yes (5-band)  Auto Volume Level Control  Yes  Swivel Angles  Noise Reacutable  Yes  Swivel Angles  Neck & Base Detachable  Yes  Audio Features  Speakers  2 × 10W/80  Video Features  White Balance  Inputs & Amp; Outputs  HDMI (# of Ports & Version)  3 × HDMI  Supported HDMI Signals  1080/24p, 1080/60p, 1080i, 720p, 480p, 480i  Cable / Antenna Input  1 × IEC-Connector 750  3.5mm Auxiliary Input Jack  Yes  VGA (# of Ports)  1 × SPDIF (Optical, Black)  VGA (# of Ports)  1 × Component (YPPP') Input  1 × Component (Audio input share with composite)  3.5mm Headphone Jack (Output)  Yes  Supported VGA Signals  1920 × 1080 (Native & Max), 1360 × 768, 1280 × 1024, 1024 × 768, 800 × 600  USB  Composite Video  1 × Composite  Analog Audio Output (L + R)  1 (2 × RCA terminals (white, red))  Mechanical Features  VESA Mount Pattern (mm)  200mm × 100mm	Comb Filter	3D	
Noise Reduction         Yes           Surround Sound Mode         Yes           Sound Equalizer Settings         Yes (5-band)           Auto Volume Level Control         Yes           Wall Mountable         Yes           Swivel Angles         30° (Left & Right)           Neck & Base Detachable         Yes           Audio Features         Speakers         2 × 10W/8Ω           Video Features           White Balance         Available           Inputs & Samp; Outputs         HDMI (# of Ports & Version)         3 × HDMI           Supported HDMI Signals         1080/24p, 1080/60p, 1080i, 720p, 480p, 480i           Cable / Antenna Input         1 × IEC-Connector 75Ω           3.5mm Auxiliary Input Jack         Yes           Supported HDTV Signals         1080p, 1080i, 720p, 480p, 480i           SPDIF Audio Output         1 × SPDIF (Optical, Black)           VGA (# of Ports)         1 × N >5UB terminal (Blue, 15 pin)           Component (YPbPr) Input         1 × Component (Audio input share with composite)           3.5mm Headphone Jack (Output)         Yes           Supported VGA Signals         1920 × 1080 (Native & Max),           1360 × 768,         1280 × 1024,           1024 × 768,         800 × 600	De-interlace Technology	3D	
Surround Sound Mode Yes Sound Equalizer Settings Yes (5-band) Auto Volume Level Control Yes Wall Mountable Yes Swivel Angles Neck & Base Detachable Yes Audio Features Speakers 2 × 10W/8\Omega Video Features White Balance Available Inputs & Amp; Outputs HDMI (# of Ports & Version) 3 × HDMI Supported HDMI Signals 1080/24p, 1080/60p, 1080i, 720p, 480p, 480i  2.5mm Audio Input Jack Yes Supported HDTV Signals 1080p,1080i, 720p, 480p, 480i SPDIF Audio Output 1 × SPDIF (Optical, Black) VGA (# of Ports) 1 × D-SUB terminal (Blue, 15 pin) Component (YPbPr) Input 1 × Component (Audio input share with composite) 3.5mm Headphone Jack (Output) Yes Supported VGA Signals 1920 x 1080 (Native & Max.), 1360 x 768, 1280 x 1024, 1024 x 768, 800 x 600  USB Composite Video 1 × Composite Analog Audio Output (L + R) 1 (2 × RCA terminals ( white, red)) Mechanical Features VESA Mount Pattern (mm) 200mm x 100mm	Auto Dynamic Contrast Mode	Yes	
Sound Equalizer Settings Auto Volume Level Control Yes Wall Mountable Yes Swivel Angles Swivel Angles Speakers Speakers Speakers Video Features White Balance Inputs & Wesing Supported HDMI Signals Supported HDMI Signals 1080/24p, 1080/60p, 1080i, 720p, 480p, 480i Supported HDMI Signals 1080/24p, 1080/60p, 1080i, 720p, 480p, 480i Supported HDMI Signals 1080/24p, 1080/60p, 1080i, 720p, 480p, 480i Supported HDMI Signals 1080/24p, 1080/60p, 1080i, 720p, 480p, 480i Supported HDMI Signals 1080/24p, 1080/60p, 1080i, 720p, 480p, 480i Supported HDTV Signals 1080p,1080i, 720p, 480p, 480i SPDIF Audio Output 1 x SPDIF (Optical, Black) VGA (# of Ports) 1 x SPDIF (Optical, Black) VGA (# of Ports) 1 x Component (WPDPr) Input 1 x Component (Audio input share with composite) 3.5mm Headphone Jack (Output) Yes Supported VGA Signals 1920 x 1080 (Native & Max), 1360 x 768, 1280 x 1024, 1024 x 768, 800 x 600  USB 1 x USB 2.0 Composite Video 1 x Composite Analog Audio Output (L + R) 1 (2 x RCA terminals ( white, red)) Mechanical Features VESA Mount Pattern (mm) 200mm x 100mm	Noise Reduction	Yes	
Auto Volume Level Control         Yes           Wall Mountable         Yes           Swivel Angles         30° (Left & Right)           Neck & Base Detachable         Yes           Audio Features         Speakers         2 × 10W/8Ω           White Balance         Available           Imputs & Samp; Outputs         HDMI (# of Ports & Version)         3 × HDMI           Supported HDMI Signals         1080/24p, 1080/60p, 1080i, 720p, 480p, 480i           Cable / Antenna Input         1 × IEC-Connector 75Ω           3.5mm Auxiliary Input Jack         Yes           Supported HDTV Signals         1080p,1080i, 720p, 480p, 480i           SPDIF Audio Output         1 × SPDIF (Optical, Black)           VGA (# of Ports)         1 × SPDIF (Optical, Black)           Component (YPDP) Input         1 × Component (Audio input share with composite)           3.5mm Headphone Jack (Output)         Yes           Supported VGA Signals         1920 × 1080 (Native & Max),           1360 × 768,         1280 × 1024,           1024 × 768,         800 × 600.           USB         1 × USB 2.0           Composite Video         1 × Composite           Analog Audio Output (L + R)         1 (2 × RCA terminals ( white, red))	Surround Sound Mode	Yes	
Wall Mountable         Yes           Swivel Angles         30° (Left & Right)           Neck & Base Detachable         Yes           Audio Features           Speakers         2 × 10W/8Ω           Video Features           White Balance           Inputs & Amp; Outputs           HDMI (# of Ports & Version)         3 × HDMI           Supported HDMI Signals         1080/24p, 1080/60p, 1080i, 720p, 480p, 480i           Cable / Antenna Input         1 × IEC-Connector 75Ω           3.5mm Auxiliary Input Jack         Yes           Supported HDTV Signals         1080p,1080i, 720p, 480p, 480i           SPDIF Audio Output         1 × SPDIF (Optical, Black)           VGA (# of Ports)         1 × D-SUB terminal (Blue, 15 pin)           Component (YPbPr) Input         1 × Component (Audio input share with composite)           3.5mm Headphone Jack (Output)         Yes           Supported VGA Signals         1920 x 1080 (Native & Max),           1360 x 768,         1280 x 1024,           1024 x 768,         800 x 600           USB         1 × USB 2.0           Composite Video         1 × Composite           Analog Audio Output (L + R)         1 (2 × RCA terminals ( white, red)) <td co<="" td=""><td>Sound Equalizer Settings</td><td>Yes (5-band)</td></td>	<td>Sound Equalizer Settings</td> <td>Yes (5-band)</td>	Sound Equalizer Settings	Yes (5-band)
Swivel Angles         30° (Left & Right)           Neck & Base Detachable         Yes           Audio Features         Video Features           Speakers         2 ×10W/8Ω           Video Features           White Balance           Inputs & Samp: Outputs           HDMI (# of Ports & Version)         3 × HDMI           Supported HDMI Signals         1080/24p, 1080/60p, 1080i, 720p, 480p, 480i           Cable / Antenna Input         1 × IEC-Connector 75Ω           3.5mm Auxiliary Input Jack         Yes           Supported HDTV Signals         1080p,1080i, 720p, 480p, 480i           SPDIF Audio Output         1 × SPDIF (Optical, Black)           VGA (# of Ports)         1 × D-SUB terminal (Blue, 15 pin)           Component (YPbPr) Input         1 × Component (Audio input share with composite)           3.5mm Headphone Jack (Output)         Yes           Supported VGA Signals         1920 × 1080 (Native & Max), 1360 × 768, 1280 × 1024, 1024 × 768, 800 × 600           USB         1 × USB 2.0           Composite Video         1 × Composite           Analog Audio Output (L + R)         1 (2 × RCA terminals ( white, red))           Mechanical Features           VESA Mount Pattern (mm)         200mm x 100mm	Auto Volume Level Control	Yes	
Neck & Base Detachable         Yes           Audio Features         2 ×10W/8Ω           Video Features         White Balance         Available           Inputs & Outputs         HDMI (# of Ports & Version)         3 × HDMI           Supported HDMI Signals         1080/24p, 1080/60p, 1080i, 720p, 480p, 480i         Cable / Antenna Input         1 × IEC-Connector 75Ω           3.5mm Auxiliary Input Jack         Yes         Supported HDTV Signals         1080p,1080i, 720p, 480p, 480i           SPDIF Audio Output         1 × SPDIF (Optical, Black)         Yes           SUPDIF Audio Output         1 × D-SUB terminal (Blue, 15 pin)           Component (YPbPr) Input         1 × Component (Audio input share with composite)           3.5mm Headphone Jack (Output)         Yes           Supported VGA Signals         1920 × 1080 (Native & Max), 1360 × 768, 1280 × 1024, 1024 × 768, 800 × 600           USB         1 × USB 2.0           Composite Video         1 × Composite           Analog Audio Output (L + R)         1 (2 × RCA terminals (white, red))           Mechanical Features         VESA Mount Pattern (mm)	Wall Mountable	Yes	
Speakers   2 x 10W/8Ω	Swivel Angles	30º (Left & Right)	
Speakers         2 ×10W/8Ω           Video Features           White Balance         Available           Inputs & Outputs           HDMI (# of Ports & Version)         3 × HDMI           Supported HDMI Signals         1080/24p, 1080/60p, 1080i, 720p, 480p, 480i           Cable / Antenna Input         1 × IEC-Connector 75Ω           3.5mm Auxiliary Input Jack         Yes           Supported HDTV Signals         1080p,1080i, 720p, 480p, 480i           SPDIF Audio Output         1 × SPDIF (Optical, Black)           VGA (# of Ports)         1 × D-SUB terminal (Blue, 15 pin)           Component (YPbPr) Input         1 × Component (Audio input share with composite)           3.5mm Headphone Jack (Output)         Yes           Supported VGA Signals         1920 x 1080 (Native & Max),           1360 x 768,         1280 x 1024,           1024 x 768,         800 x 600           USB         1 × USB 2.0           Composite Video         1 × Composite           Analog Audio Output (L + R)         1 (2 × RCA terminals (white, red))           Mechanical Features           VESA Mount Pattern (mm)         200mm x 100mm	Neck & Base Detachable	Yes	
Video Features       White Balance     Available       Inputs & amp; Outputs       HDMI (# of Ports & Version)     3 × HDMI       Supported HDMI Signals     1080/24p, 1080/60p, 1080i, 720p, 480p, 480i       Cable / Antenna Input     1 × IEC-Connector 75Ω       3.5mm Auxiliary Input Jack     Yes       Supported HDTV Signals     1080p,1080i, 720p, 480p, 480i       SPDIF Audio Output     1 × SPDIF (Optical, Black)       VGA (# of Ports)     1 × D-SUB terminal (Blue, 15 pin)       Component (YPbPr) Input     1 × Component (Audio input share with composite)       3.5mm Headphone Jack (Output)     Yes       Supported VGA Signals     1920 × 1080 (Native & Max),       1360 × 768,     1280 × 1024,       1024 × 768,     800 × 600       USB     1 × USB 2.0       Composite Video     1 × Composite       Analog Audio Output (L + R)     1 (2 × RCA terminals (white, red))       Mechanical Features       VESA Mount Pattern (mm)     200mm × 100mm	Audio Features		
White Balance     Available       Inputs & Amp; Outputs       HDMI (# of Ports & Version)     3 × HDMI       Supported HDMI Signals     1080/24p, 1080/60p, 1080i, 720p, 480p, 480i       Cable / Antenna Input     1 × IEC-Connector 75Ω       3.5mm Auxiliary Input Jack     Yes       Supported HDTV Signals     1080p,1080i, 720p, 480p, 480i       SPDIF Audio Output     1 × SPDIF (Optical, Black)       VGA (# of Ports)     1 × D-SUB terminal (Blue, 15 pin)       Component (YPbPr) Input     1 × Component (Audio input share with composite)       3.5mm Headphone Jack (Output)     Yes       Supported VGA Signals     1920 × 1080 (Native & Max),       1360 × 768,     1280 × 1024,       1024 × 768,     800 × 600       USB     1 × USB 2.0       Composite Video     1 × Composite       Analog Audio Output (L + R)     1 (2 × RCA terminals (white, red))       Mechanical Features       VESA Mount Pattern (mm)     200mm × 100mm	Speakers	2 ×10W/8Ω	
Inputs & Amp; Outputs	Video Features		
HDMI (# of Ports & Version)         3 × HDMI           Supported HDMI Signals         1080/24p, 1080/60p, 1080i, 720p, 480p, 480i           Cable / Antenna Input         1 × IEC-Connector 75Ω           3.5mm Auxiliary Input Jack         Yes           Supported HDTV Signals         1080p,1080i, 720p, 480p, 480i           SPDIF Audio Output         1 × SPDIF (Optical, Black)           VGA (# of Ports)         1 × D-SUB terminal (Blue, 15 pin)           Component (YPbPr) Input         1 × Component (Audio input share with composite)           3.5mm Headphone Jack (Output)         Yes           Supported VGA Signals         1920 × 1080 (Native & Max),           1360 × 768,         1280 × 1024,           1024 × 768,         800 × 600           USB         1 × USB 2.0           Composite Video         1 × Composite           Analog Audio Output (L + R)         1 (2 × RCA terminals ( white, red))           Mechanical Features           VESA Mount Pattern (mm)         200mm x 100mm	White Balance	Available	
Supported HDMI Signals       1080/24p, 1080/60p, 1080i, 720p, 480p, 480i         Cable / Antenna Input       1 × IEC-Connector 75Ω         3.5mm Auxiliary Input Jack       Yes         Supported HDTV Signals       1080p,1080i, 720p, 480p, 480i         SPDIF Audio Output       1 × SPDIF (Optical, Black)         VGA (# of Ports)       1 × D-SUB terminal (Blue, 15 pin)         Component (YPbPr) Input       1 × Component (Audio input share with composite)         3.5mm Headphone Jack (Output)       Yes         Supported VGA Signals       1920 × 1080 (Native & Max),         1360 × 768,       1280 × 1024,         1024 × 768,       800 × 600         USB       1 × USB 2.0         Composite Video       1 × Composite         Analog Audio Output (L + R)       1 (2 × RCA terminals ( white, red))         Mechanical Features         VESA Mount Pattern (mm)       200mm × 100mm	Inputs & Outputs		
Cable / Antenna Input       1 × IEC-Connector 75Ω         3.5mm Auxiliary Input Jack       Yes         Supported HDTV Signals       1080p,1080i, 720p, 480p, 480i         SPDIF Audio Output       1 × SPDIF (Optical, Black)         VGA (# of Ports)       1 × D-SUB terminal (Blue, 15 pin)         Component (YPbPr) Input       1 × Component (Audio input share with composite)         3.5mm Headphone Jack (Output)       Yes         Supported VGA Signals       1920 × 1080 (Native & Max),         1360 × 768,       1280 × 1024,         1024 × 768,       800 × 600         USB       1 × USB 2.0         Composite Video       1 × Composite         Analog Audio Output (L + R)       1 (2 × RCA terminals ( white, red))         Mechanical Features         VESA Mount Pattern (mm)       200mm × 100mm	HDMI (# of Ports & Version)	3 × HDMI	
3.5mm Auxiliary Input Jack   Yes	Supported HDMI Signals	1080/24p, 1080/60p, 1080i, 720p, 480p, 480i	
Supported HDTV Signals         1080p,1080i, 720p, 480p, 480i           SPDIF Audio Output         1 × SPDIF (Optical, Black)           VGA (# of Ports)         1 × D-SUB terminal (Blue, 15 pin)           Component (YPbPr) Input         1 × Component (Audio input share with composite)           3.5mm Headphone Jack (Output)         Yes           Supported VGA Signals         1920 × 1080 (Native & Max),           1360 × 768,         1280 × 1024,           1024 × 768,         800 × 600           USB         1 × USB 2.0           Composite Video         1 × Composite           Analog Audio Output (L + R)         1 (2 × RCA terminals ( white, red))           Mechanical Features           VESA Mount Pattern (mm)         200mm x 100mm	Cable / Antenna Input	$1 \times IEC$ -Connector $75\Omega$	
SPDIF Audio Output  1 × SPDIF (Optical, Black)  VGA (# of Ports)  1 × D-SUB terminal (Blue, 15 pin)  Component (YPbPr) Input  1 × Component (Audio input share with composite)  3.5mm Headphone Jack (Output)  Yes  Supported VGA Signals  1920 × 1080 (Native & Max),  1360 × 768,  1280 × 1024,  1024 × 768,  800 × 600  USB  1 × USB 2.0  Composite Video  1 × Composite  Analog Audio Output (L + R)  1 (2 × RCA terminals ( white, red))  Mechanical Features  VESA Mount Pattern (mm)  200mm × 100mm	3.5mm Auxiliary Input Jack	Yes	
VGA (# of Ports)         1 × D-SUB terminal (Blue, 15 pin)           Component (YPbPr) Input         1 × Component (Audio input share with composite)           3.5mm Headphone Jack (Output)         Yes           Supported VGA Signals         1920 × 1080 (Native & Max),           1360 × 768,         1280 × 1024,           1024 × 768,         800 × 600           USB         1 × USB 2.0           Composite Video         1 × Composite           Analog Audio Output (L + R)         1 (2 × RCA terminals ( white, red))           Mechanical Features           VESA Mount Pattern (mm)         200mm x 100mm	Supported HDTV Signals	1080p,1080i, 720p, 480p, 480i	
Component (YPbPr) Input         1 × Component (Audio input share with composite)           3.5mm Headphone Jack (Output)         Yes           Supported VGA Signals         1920 x 1080 (Native & Max),           1360 x 768,         1280 x 1024,           1024 x 768,         800 x 600           USB         1 × USB 2.0           Composite Video         1 × Composite           Analog Audio Output (L + R)         1 (2 × RCA terminals (white, red))           Mechanical Features           VESA Mount Pattern (mm)         200mm x 100mm	SPDIF Audio Output	1 × SPDIF (Optical, Black)	
3.5mm Headphone Jack (Output)  Supported VGA Signals  1920 x 1080 (Native & Max),  1360 x 768,  1280 x 1024,  1024 x 768,  800 x 600  USB  1 x USB 2.0  Composite Video  1 x Composite  Analog Audio Output (L + R)  1 (2 x RCA terminals ( white, red))  Mechanical Features  VESA Mount Pattern (mm)  200mm x 100mm	VGA (# of Ports)	1 × D-SUB terminal (Blue, 15 pin)	
Supported VGA Signals       1920 x 1080 (Native & Max),         1360 x 768,       1280 x 1024,         1024 x 768,       800 x 600         USB       1 x USB 2.0         Composite Video       1 x Composite         Analog Audio Output (L + R)       1 (2 x RCA terminals ( white, red))         Mechanical Features         VESA Mount Pattern (mm)       200mm x 100mm	Component (YPbPr) Input	1 × Component (Audio input share with composite)	
1360 x 768, 1280 x 1024, 1024 x 768, 800 x 600  USB  1 x USB 2.0  Composite Video  1 x Composite  Analog Audio Output (L + R)  1 (2 x RCA terminals ( white, red))  Mechanical Features  VESA Mount Pattern (mm)  200mm x 100mm	3.5mm Headphone Jack (Output)	Yes	
$1280 \times 1024,$ $1024 \times 768,$ $800 \times 600$ USB $1 \times \text{USB } 2.0$ Composite Video $1 \times \text{Composite}$ Analog Audio Output (L + R) $1  (2 \times \text{RCA terminals (white, red)})$ Mechanical Features $VESA \text{ Mount Pattern (mm)}$ $200 \text{mm} \times 100 \text{mm}$	Supported VGA Signals	1920 x 1080 (Native & Max),	
1024 x 768,   800 x 600   USB		1360 x 768,	
800 x 600		1280 x 1024,	
USB 1 × USB 2.0  Composite Video 1 × Composite  Analog Audio Output (L + R) 1 (2 × RCA terminals ( white, red))  Mechanical Features  VESA Mount Pattern (mm) 200mm × 100mm		1024 x 768,	
Composite Video  1 × Composite  Analog Audio Output (L + R)  1 (2 × RCA terminals ( white, red))  Mechanical Features  VESA Mount Pattern (mm)  200mm × 100mm		800 x 600	
Analog Audio Output (L + R) 1 (2 × RCA terminals ( white, red))  Mechanical Features  VESA Mount Pattern (mm) 200mm x 100mm	USB	1 × USB 2.0	
Mechanical Features  VESA Mount Pattern (mm) 200mm x 100mm	Composite Video	1 × Composite	
VESA Mount Pattern (mm) 200mm x 100mm	Analog Audio Output (L + R)	1 (2 × RCA terminals ( white, red))	
	Mechanical Features		
VESA Mount Screw Size (mm) M4 x 8mm	VESA Mount Pattern (mm)	200mm x 100mm	
	VESA Mount Screw Size (mm)	M4 x 8mm	


SCEPTRE®		
Dimensions		
With Stand (inches, W x H x D)	29.1" x 19.3" x 8.1"	
Without Stand (Inches, W x H x D)	29.1" x 17.3" x 3.5"	
Carton Box Dimension (inches, W x H x D	)33.07" x 21.85" x 6.69"	
Weight		
Net Weight with Stand (lbs)	13.20 lbs	
Net Weight without Stand (lbs)	12.32 lbs	
Gross Weight (lbs)	18.26 lbs	
Power		
Power Range (V, A, Hz)	100 - 240VAC, 50/60Hz, 1A (Max)	
Power Consumption (Typical)	65 W (Max)	
	28 W (Typical)	
	≤0.5 W (Standby)	
Regulations / Certifications		
Regulations	cETLus, FCC, ISTA 3A	
Certifications	Energy Star, HDMI,	
Warranty		
Limited Parts and Labor	One Year	
What's in the Box?		
Remote Control Model No	<a href="mailto:a"><a accessories="" href="mail&lt;/td&gt;&lt;/tr&gt;&lt;tr&gt;&lt;td&gt;&lt;/td&gt;&lt;td&gt;href=" https:="" remote-control="" td="" tv-remote-control-814202<="" www.sceptre.com=""></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a>	

>8142026670002C</a>

6670002C-product1053category19category69.html" target="\_blank"



### **Key Features**







#### **LED**

With sharper contrasts of light and darks, LED display delivers a vast array of rich colors, ensuring that moving images have never been so pleasing to the eyes.

#### **Built-in DVD Player**

Built-in DVD Player allows you to enjoy your favorite DVDs without needing to purchase a separate DVD player. A single remote control commands all functions of the TV and the built-in DVD player.

#### **HDMI**

HDMI not only delivers superior digital video and audio, but also, connects both to the TV with only one cable.



#### **Coaxial Digital Out**

Offering superior backwards compatibility for stereo receivers. This Sceptre TV is equipped with a Coaxial Digial audio output which will enrich your TV audio experience with the coaxial supported soundbar, soundbase or audio equipment.



#### USB

Let's you view your pictures as a slideshow or listen to your favorite music via the USB port. Just insert your flash drive into the USB port for the ultimate entertainment.



#### **Customer Service**

Our customer service representatives are, and have always been, based in the USA, guaranteeing that our customers' needs are met as efficiently as possible.



# **Key Features**



#### 30+ Years of Experience

Founded in City of Industry, CA over 30 years ago, Sceptre Inc. made a promise to create & deliver superior products for remarkably affordable prices, a rare tradition that continues today.