

U415CV-UMS 4K UHD TV



Specification

| Display | |
|------------------------|---|
| Active Screen Size | 40" Diagonal Viewable |
| Panel Type | VA (Vertical Alignment) |
| Native Resolution | Ultra HD - 3840 x 2160 |
| Refresh Rate | Up to 60Hz |
| Aspect Ratio | Wide Screen 16:9 |
| Display Colors | 16.7M |
| Response Time | 8 ms (G-to-G) |
| Pixel Pitch | 0.2304mm (H) x 0.2304mm (V) |
| Dynamic Contrast Ratio | Available |
| Color Gamut | sRGB: 85% DCI-P3: 70% |
| Contrast Ratio | 4,500 : 1 |
| Brightness (Typ.) | 250 cd/m ² |
| Viewing Angle | Vertical: 178° / Horizontal: 178° |
| Backlight Type | LED |
| Backlight Life | 30,000+ Hours |
| Surface Treatment | Antiglare |

Highlight Features

| | |
|--|---|
| True Ultra High Definition 4k x 2k Display | 3840 x 2160 |
| HDCP Version | 2.2 (Specifically design for 4k video) |
| HDMI 2.0 | Support latest Standard for 4k x 2k video at 60Hz input signal. |
| CEC & ARC | Available |

Audio Features

| | |
|---------------------------|--|
| Auto Volume Level Control | AVL available |
| Audio Adjustable Control | Treble, Bass, Balance, Volume, Mute control, Preset EQ |
| Speakers | 2 x 10W/8Ω |
| Equalizer Settings | 5-band |
| Surround Sound Mode | Available |

Video Features

| | |
|-------------------------------------|---|
| OSD (On Screen Display Control) | Standard / Mild / Dynamic / User |
| Picture Mode | Normal / Wide / Cinema / Zoom |
| Picture Control | Brightness, Contrast, Backlight, Color, Tint, Sharpness |
| Temperature (color) | Warm / Normal / Cool / Standards |
| White Balance | Adjustable. Multiple Preset Options available. |
| OSD Supported Languages / Subtitles | English / Spanish / French |

Other Features

| | |
|-------------------------------|------------------|
| Show/Hide Channel | Available |
| Built-in Tuner | ATSC / NTSC |
| Weak Signal Enhancement | Equipped |
| Energy Guide | Yes |
| Comb Filter | 3D |
| De-interlace Technology | 3D |
| Noise Reduction | Equipped |
| MPEG Noise Reduction | Equipped |
| Second Audio Program (SAP) | Available |
| User Define Channel Label | Available |
| Closed Captioning (CC) | Available |
| Program Guide | Available |
| Parental Control (V-Chip) | USA & Canada |
| Digital Clock | Equipped |
| Sleep Timer | Available |
| Channel Block (with passcode) | Analog & Digital |
| Power Saving Mode | Available |
| Users Define Source Name | Available |

Inputs & Outputs

| | |
|-----------------------------|--|
| HDMI (# of Ports & Version) | 4 x HDMI (HDMI1: HDMI2.0, HDCP 2.2, MHL, CEC; HDMI 2: HDMI2.0, HDCP 2.2, CEC; HDMI 3: HDMI2.0, HDCP 2.2, CEC; |
|-----------------------------|--|

| | |
|-------------------------|--|
| | HDMI 4: HDMI2.0, HDCP 2.2, ARC, CEC) |
| Supported HDMI Signals | 4K, 1080/24p, 1080/60p, 1080i, 720p, 480p, 480i |
| Cable / Antenna Input | 1 x IEC-connector 75 Ohm |
| Supported HDTV Signals | 1080p, 1080i, 720p, 480p, 480i |
| SPDIF Audio Output | 1 x SPDIF (Optical, Black) |
| Component (YPbPr) Input | 1 x Component |
| USB | 1 x USB 2.0 |
| Audio Out | 1 x 3.5mm Audio Terminal (black) |
| Composite Video | 1 x Composite (Video and Audio ports share with Component) |

Mechanical Features

| | |
|----------------------------------|--|
| Chassis Colors | Black Housing |
| Stand Type | Matted-Finished Metal |
| Wall Mountable | Capable |
| Wall Mount Screw Size (mm) | Top two: M5 x 8mm; Bottom two: M5 x 8mm |
| Stand Detachable | Capable |
| Bezel Width | Top, Left and Right: 0.81" ; Bottom: 1.30" |
| Slim Design | Ultra Slim |
| VESA Mount Pattern (mm) | 200mm x 200mm |
| Stand Screw Size & Quantity (mm) | ST4 x 16mm (4pcs) |

Dimensions

| | |
|---|----------------------|
| With Stand (inches, W x H x D) | 36.5" x 23.5" x 8.9" |
| Without Stand (Inches, W x H x D) | 36.5" x 21.7" x 3.2" |
| Carton Box Dimension (inches, W x H x D) | 39.9" x 26.1" x 6.3" |
| Stand Separation Dimension W x D (inches) | 36" x 10" |

Weight

| | |
|--------------------------------|-----------|
| Net Weight with Stand (lbs) | 14.66 lbs |
| Net Weight without Stand (lbs) | 11.8 lbs |
| Gross Weight (lbs) | 20.83 lbs |

Power

| | |
|-----------------------------|-------------------------------------|
| Power Range (V, A, Hz) | 100 - 240VAC, 60/50Hz, 2.2 A (Max.) |
| Power Consumption (Typical) | 56 W |
| Maximum | ≤ 100W |
| Standby | ≤ 0.5W |

Regulations / Certifications

| | |
|----------------|-------------------------------|
| Regulations | cETLus, FCC, ISTA 3A, ISTA 6A |
| Certifications | HDMI |

Warranty

| | |
|-------------------------|--------|
| Limited Parts and Labor | 1 Year |
|-------------------------|--------|

What's in the Box?


| | |
|-------------|-----------------------------------|
| Power Cable | AC Power Cable x 1 |
| Accessories | Display, Stand (Left & Right), |

User Guide,
Warranty Card,
Screwdriver,
Screws for Stand,
Remote Control

Remote Control Model No

<a
href="https://www.sceptre.com/Accessories/Remote-Control/TV-Remote-Control-142021
270009C-product742category19category69.html">142021270009C

Key Features




LED

With sharper contrasts of light and darks, LED display delivers a vast array of rich colors, ensuring that moving images have never been so pleasing to the eyes.



UHD Upscaling

Breathing new life into the colors of older movies and shows, UHD Upscaling upgrades SD, HD, FHD resolution nearly to the level of the masterful 4K picture quality the UHD display has to offer.



Multiple Ports

4 HDMI ports deliver sharply crafted images during fast-paced action scenes. Component & Composite ports provide analog video. Audio In, a headphone jack, & optical out enhance audio.



HDMI 2.0

HDMI 2.0 connects all your favorite devices - game consoles, blu-ray devices, laptops - and delivers the best version of the visual and audio content on the 4K display.



HDCP 2.2

HDCP 2.2 ensures that all the 4K content that is transferred from a source (Blu-Ray player, DVD player, etc.) to the display (the TV) is secured with copyright protection.



USB Port

Let's you view your pictures as a slideshow or listen to your favorite music via the USB port. Just insert your flash drive into the USB port for the ultimate entertainment.

Key Features



ARC

ARC (Audio Return Channel) uses a single HDMI connection to send audio from a TV to a sound bar or AV receiver.



CEC

The CEC (Consumer Electronics Control) feature effortlessly allows users to control HDMI connected devices with only one remote.



VESA Wall Mountable

The VESA wall mount provides the ideal position to view your TV and eliminates cable clutter, contributing a stylishly modern addition to your decor.



Customer Service

Our customer service representatives are, and have always been, based in the USA, guaranteeing that our customers' needs are met as efficiently as possible.



30+ Years of Experience

Founded in City of Industry, CA over 30 years ago, Sceptre Inc. made a promise to create & deliver superior products for remarkably affordable prices, a rare tradition that continues today.