

E205BV-SMQCC 20" LED TV



Specification

Display

Active Screen Size	19.5" Diagonal Viewable
Panel Type	VA (Vertical Alignment)
Native Resolution	1366 x 768
Refresh Rate	60Hz
Aspect Ratio	16:9
Response Time	5 ms (G-to-G)
Pixel Pitch	0.3177mm (H) x 0.3070mm (V)
Dynamic Contrast Ratio	1,000,000 : 1
Color Gamut	sRGB: 90% DCI-P3: 74%
Color Depth	16.7M
Contrast Ratio	3,000 : 1
Brightness (Typ.)	250 cd/m ²
Viewing Angle	178°(Horizontal) / 178° (Vertical)
Backlight Life	30,000+ Hours
Surface Treatment	Antiglare, Hard coating (3H)

Features

On Screen Display Control (OSD)	Picture, Sound, Channel, Setup
Color Temperature	Warm, Normal, Cool, Standards
Adjustable Picture Control*	Brightness, Contrast, Backlight, Color, Tint, Sharp
Picture Presets	Normal, Wide, Cinema, Zoom
Built-in Tuner	ATSC / NTSC
OSD Supported Languages	English (Default), Spanish, French, Chinese
Weak Signal Enhancement	YES
Comb Filter	3D
De-interlace Technology	3D
Auto Dynamic Contrast Mode	YES
Noise Reduction	YES
MPEG Noise Reduction	YES
Surround Sound Mode	YES
Sound Equalizer Settings	YES (5-band)
Auto Volume Level Control	YES
Wall Mountable	YES
Energy Guide	Yes

Audio Features

Speakers	2 × 3W/4Ω
----------	-----------

Video Features

White Balance	Available
---------------	-----------

Inputs & Outputs

HDMI (# of Ports & Version)	1 × HDMI
Supported HDMI Signals	1080/24p, 1080/60p, 1080i, 720p, 480p, 480i
Cable / Antenna Input	1 × IEC-Connector 75 Ohm
3.5mm Auxiliary Input Jack	1 × PC Audio in terminal (black)
Supported HDTV Signals	1080p,1080i, 720p, 480p, 480i
SPDIF Audio Output	1 × Coaxial (Optical, Black)
VGA (# of Ports)	1 × D-SUB terminal (blue, 15 pin)
Component (YPbPr) Input	1 × Component
3.5mm Headphone Jack (Output)	1 × Earphone terminal (black)
Supported VGA Signals	Up to 1366 × 768 (Native & Max)
USB	1 × USB 2.0
Composite Video	1 × Composite (Video and Audio inputs are sharing with YPbPr)

Mechanical Features


Neck / Stand Detachable	YES
VESA Mount Pattern (mm)	75mm x 75mm
VESA Mount Screw Size (mm)	M4 x 5mm
Neck Screw Size & Quantity (mm)	ST3 x 10mm (3PCS)
Stand Screw Size & Quantity (mm)	ST3 x 10mm (3PCS)

Dimensions

With Stand (inches, W x H x D)	18.16" x 12.6" x 5.73"
Without Stand (Inches, W x H x D)	18.16" x 10.74" x 2.76"

Carton Box Dimension (inches, W x H x D)	21.06" x 13.58" x 5.43"
Weight	
Net Weight with Stand (lbs)	4.49 lb
Net Weight without Stand (lbs)	4.04 lb
Gross Weight (lbs)	6.16 lb
Power	
Power Range (V, A, Hz)	100 - 240 VAC, 50/60 Hz, 1.0A (Max.)
Power Consumption (Typical)	17.5 W
Maximum	40 W
Standby	≤0.5 W
Regulations / Certifications	
Regulations	FCC, cETLus, ISTA 3A
Certifications	Energy Star V7.0, HDMI,
Warranty	
Limited Parts and Labor	One Year
What's in the Box?	
Power Cable	AC Power Adapter x 1
Accessories	Display x 1, Neck x 1, Stand x 1, Screw Driver x 1, Neck Screws x 3, Stand Screws x 3, Remote Control x 1, User Guide x 1
Remote Control Model No	142022370010C

Key Features



LED

With sharper contrasts of light and darks, LED display delivers a vast array of rich colors, ensuring that moving images have never been so pleasing to the eyes.



HDMI

HDMI not only delivers superior digital video and audio, but also, connects both to the TV with only one cable.



Coaxial Digital Out

Offering superior backwards compatibility for stereo receivers. This Sceptre TV is equipped with a Coaxial Digital audio output which will enrich your TV audio experience with the coaxial supported soundbar, soundbase or audio equipment.



USB Port

Let's you view your pictures as a slideshow or listen to your favorite music via the USB port. Just insert your flash drive into the USB port for the ultimate entertainment.



Customer Service

Our customer service representatives are, and have always been, based in the USA, guaranteeing that our customers' needs are met as efficiently as possible.



30+ Years of Experience

Founded in City of Industry, CA over 30 years ago, Sceptre Inc. made a promise to create & deliver superior products for remarkably affordable prices, a rare tradition that continues today.