

U650CV-UMRD 65" 4K UHD TV



Specification


~	a 1 i	- N	Ţ
- 1	2.11	<u></u>	

Display	
Active Screen Size	65" Diagonal Viewable
Panel Type	VA (Vertical Alignment)
Native Resolution	3840 x 2160
Refresh Rate	Up to 60Hz Refresh Rate
Aspect Ratio	16:9
Response Time	8ms (G-to-G)
Pixel Pitch	0.372mm (H) x 0.372mm (V)
Dynamic Contrast Ratio	1,000,000:1
Color Gamut	sRGB: 100% DCI-P3: 77%
Color Depth	1.07B (8-bit + Hi-FRC)
Contrast Ratio	5,000:1
Brightness (Typ.)	280 cd/m ²
Viewing Angle	Vertical: 178° / Horizontal: 178°
Backlight Life	30,000+ Hours
Surface Treatment	Antiglare (Haze 2%), Hard coating (3H)
Audio Features	

SCEPTRE®			
Speakers	2 x 10W/8Ω		
Equalizer Settings	Yes		
Surround Sound Mode	Yes		
Video Features			
OSD (On Screen Display Control)	Standard / Mild / Dynamic / User		
Picture Mode	Normal / Wide / Cinema / Zoom		
Picture Control	Brightness, Contrast, Backlight, Color, Tint, Sharpness		
Temperature (color)	Warm / Normal / Cool / Standards		
OSD Supported Languages / Subtitles	English / Spanish / French		
Other Features			
Weak Signal Enhancement	Yes		
Comb Filter	Yes		
De-interlace Technology	Yes		
Noise Reduction	Yes		
MPEG Noise Reduction	Yes		
Second Audio Program (SAP)	Yes		
User Define Channel Label	Yes		
Closed Captioning (CC)	Yes		
Program Guide	Yes		
Parental Control (V-Chip)	Yes		
Digital Clock	Yes		
Sleep Timer	Yes		
Channel Block (with passcode)	Yes		
Show / Hide Channel	Yes		
Power Saving Mode	Yes		
Users Define Source Name	Yes		
Audio Guidance	Yes		
Inputs & Outputs			
HDMI (# of Ports & Version)	3		
Supported HDMI Signals	480i, 480p, 720p, 1080i, 1080p, 2160P		
Cable / Antenna Input	ATSC / NTSC		
Supported HDTV Signals	480i, 480p, 720p, 1080i, 1080p		
SPDIF Audio Output	Yes (OPTICAL)		
Component (YPbPr) Input	1		
3.5mm Headphone Jack (Output)	Yes		
USB	1		
Supported Component Signals	480i, 480p, 720p, 1080i, 1080p		
Composite Video	1		
Supported Composite Video Signals	480i, 480p, 720p, 1080i, 1080p		
Mechanical Features			
Chassis Colors	Silver		
Stand Detachable	Yes		
Bezel Width	Top,Right,Left side:15.2 Bottom:22.2		

VESA Mount Pattern (mm)400mm × 400mmVESA Mount Screw Size K um)M × 18mm (6pcs.)Stand Screw Size K Quanthy (mm)M × 18mm (6pcs.)Dimensions57.5" × 35.63" × 11.22"With Stand (inches, W × H × D)57.5" × 33.2" × 3.35"Carton Box Dimension (inches, W × H × D)57.5" × 33.2" × 3.35"Carton Box Dimension (inches, W × H × D)50"Yeight50"Veright50"Net Weight with Stand (lbS)40.7 lbSNet Weight with Stand (lbS)39.6 lbSGross Weight (lbS)61.6 lbSPower50%TypeAC CordPower Sange (V, A, Hz)100-240V 50-60HzNet Weight with Stand (lbS)30.0 MMaximum180WStandby<0.5WStandby<0.5WStandby6.5 kBStandby<0.5WStandby<0.5WStandby<0.5WStandby<0.5WStandby<0.5WStandby<0.5WStandby<0.5WStandby<0.5WStandby<0.5WStandby<0.5WStandby<0.5WStandby<0.5WStandby<0.5WStandby<0.5WStandby<0.5WStandby<0.5WStandby<0.5WStandby<0.5WStandby<0.5WStandby<0.5WStandby<0.5WStandby<0.5WStandby<0.5WStandby<0.5W	SCEPTRE®	
Stand Screw Size & Quantity (mm) M4 x 18mm (6pcs.) Dimensions 57.5" x 35.63" x 11.22" With Stand (inches, W x H x D) 57.5" x 33.2" x 33.3" Carton Box Dimension (inches, W x H x D) 57.5" x 33.2" x 33.4" x 7.87" Stand Separation Dimension W x D 50" (inches) 50" Weight 50" Net Weight with Stand (lbs) 40.7 lbs Net Weight with Stand (lbs) 39.6 lbs Gross Weight (lbs) 61.6 lbs Power 7ype Type AC Cord Power Range (V, A, Hz) 100-240V 50-60Hz Power Consumption (Typical) 130W Maximum 180W Standby <0.5W	VESA Mount Pattern (mm)	400mm x 400mm
Dimensions With Stand (inches, W × H × D) 57.5" x 35.63" x 11.22" Without Stand (inches, W × H × D) 57.5" x 33.2" x 3.35" Carton Box Dimension (inches, W × H × D) 57.5" x 33.2" x 3.35" Stand Separation Dimension W × D 50" (inches) 50" Weight 50" Net Weight with Stand (lbs) 40.7 lbs Net Weight without Stand (lbs) 39.6 lbs Gross Weight (lbs) 61.6 lbs Power 7 Type AC Cord Power Range (V, A, Hz) 100-240V 50-60Hz Power Consumption (Typical) 130W Maximum 180W Standby <0.5W	VESA Mount Screw Size (mm)	M6 x 20mm
With Stand (inches, W × H × D) 57.5" × 33.6" × 11.22" Without Stand (inches, W × H × D) 57.5" × 33.2" × 3.35" Carton Box Dimension (inches, W × H × D) 50" Stand Separation Dimension W × D 50" (inches) 50" Weight	Stand Screw Size & Quantity (mm)	M4 x 18mm (6pcs.)
Without Stand (Inches, W x H x D)\$7.5° x 33.2° x 3.35°Carton Box Dimension (Inches, W x H x D)\$6.2° x 38.4° x 7.87°Stand Separation Dimension W x D\$0°(Inches)\$0°WeightWeightNet Weight without Stand (Ibs)\$0.7 lbsNet Weight without Stand (Ibs)\$9.6 lbsGross Weight (Ibs)\$9.6 lbsPowerTypeAC CordPower Range (V, A, Hz)\$100-240V 50-60HzPower Consumption (Typical)\$30WMaximum\$80WStandby<0.5W	Dimensions	
Carton Box Dimension (inches, W x H x D)63.2" x 38.4" x 7.87"Stand Separation Dimension W x D (inches)50"Weight50"Net Weight with Stand (ibs)40.7 lbsNet Weight without Stand (ibs)39.6 lbsGross Weight (ibs)61.6 lbsPowerKTypeAC CordPower Range (V, A, Hz)100-240V 50-60HzPower Consumption (Typical)130WMaximum180WStandby<0.5W	With Stand (inches, $W \times H \times D$)	57.5" x 35.63" x 11.22"
Stand Separation Dimension W x D (inches)50°Weight50°Net Weight with Stand (lbs)40.7 lbsNet Weight without Stand (lbs)39.6 lbsGross Weight (lbs)61.6 lbsPower7/ppeAC CordPower Range (V, A, Hz)100-240V 50-60HzPower Consumption (Typical)130WMaximum180WStandby<0.5W	Without Stand (Inches, $W \times H \times D$)	57.5" x 33.2" x 3.35"
(inches)Image: Image: Imag	Carton Box Dimension (inches, W x H x I	D)63.2" x 38.4" x 7.87"
Weight Net Weight with Stand (lbs) 40.7 lbs Net Weight without Stand (lbs) 39.6 lbs Gross Weight (lbs) 61.6 lbs Power Type AC Cord Power Range (V, A, Hz) 100-240V 50-60Hz Power Consumption (Typical) 130W Maximum 180W Standby <0.5W	Stand Separation Dimension W x D	50"
Net Weight with Stand (lbs)40.7 lbsNet Weight without Stand (lbs)39.6 lbsGross Weight (lbs)61.6 lbsPowerTypeAC CordPower Range (V, A, Hz)100-240V 50-60HzPower Consumption (Typical)130WMaximum180WStandby<0.5W	(inches)	
Net Weight without Stand (lbs) 39.6 lbs Gross Weight (lbs) 61.6 lbs Power Type Type AC Cord Power Range (V, A, Hz) 100-240V 50-60Hz Power Consumption (Typical) 130W Maximum 180W Standby <0.5W	Weight	
Gross Weight (lbs) 61.6 lbs Power AC Cord Type AC Cord Power Range (V, A, Hz) 100-240V 50-60Hz Power Consumption (Typical) 130W Maximum 180W Standby <0.5W	Net Weight with Stand (lbs)	40.7 lbs
Power Type AC Cord Power Range (V, A, Hz) 100-240V 50-60Hz Power Consumption (Typical) 130W Maximum 180W Standby <0.5W	Net Weight without Stand (lbs)	39.6 lbs
TypeAC CordPower Range (V, A, Hz)100-240V 50-60HzPower Consumption (Typical)130WMaximum180WStandby<0.5W	Gross Weight (lbs)	61.6 lbs
Power Range (V, A, Hz)100-240V 50-60HzPower Consumption (Typical)130WMaximum180WStandby<0.5W	Power	
Power Consumption (Typical)130WMaximum180WStandby<0.5W	Туре	AC Cord
Maximum180WStandby<0.5W	Power Range (V, A, Hz)	100-240V 50-60Hz
Standby<0.5W	Power Consumption (Typical)	130W
Sleep<0.5WRegulations / CertificationsFCC, YesCertificationsHDMI, ETL, Energy GuideWarrantyUimited Parts and LaborOne YearWhat's in the Box?Power CableAC Cord x 1AccessoriesDisplay x 1, Stand x 1 (2 legs), Screw Driver x 1, Screws x 6, User Quick Start Guide x 1, User Manual x 1, Warranty Card x 1Remote Control Model No <a </a href="https://www.sceptre.com/Accessories/Remote-Control/TV-Remote-Control-814202">https://www.sceptre.com/Accessories/Remote-Control-814202	Maximum	180W
Regulations / Certifications FCC, Yes Certifications HDMI, ETL, Energy Guide Warranty Imited Parts and Labor One Year What's in the Box? Power Cable AC Cord x 1 Accessories Display x 1, Stand x 1 (2 legs), Screw Driver x 1, Screws x 6, User Quick Start Guide x 1, User Manual x 1, Warranty Card x1 Remote Control Model No https://www.sceptre.com/Accessories/Remote-Control-814202</a 	Standby	<0.5W
RegulationsFCC, YesCertificationsHDMI, ETL, Energy GuideWarrantyLimited Parts and LaborOne YearWhat's in the Box?Power CableAC Cord x 1AccessoriesDisplay x 1, Stand x 1 (2 legs), Screw Driver x 1, Screws x 6, User Quick Start Guide x 1, User Manual x 1, Warranty Card x1Remote Control Model No <a </a href="https://www.sceptre.com/Accessories/Remote-Control/TV-Remote-Control-814202">https://www.sceptre.com/Accessories/Remote-Control-814202	Sleep	<0.5W
CertificationsHDMI, ETL, Energy GuideWarrantyLimited Parts and LaborOne YearWhat's in the Box?Power CableAC Cord x 1AccessoriesDisplay x 1, Stand x 1 (2 legs), Screw Driver x 1, Screws x 6, User Quick Start Guide x 1, User Manual x 1, Warranty Card x 1Remote Control Model No <a </a href="https://www.sceptre.com/Accessories/Remote-Control/TV-Remote-Control-814202">https://www.sceptre.com/Accessories/Remote-Control-814202	Regulations / Certifications	
Warranty Limited Parts and Labor One Year What's in the Box? Power Cable AC Cord x 1 Accessories Display x 1, Stand x 1 (2 legs), Screw Driver x 1, Screws x 6, User Quick Start Guide x 1, User Manual x 1, Warranty Card x1 Remote Control Model No https://www.sceptre.com/Accessories/Remote-Control-814202</a 	Regulations	FCC, Yes
Limited Parts and Labor One Year What's in the Box? AC Cord x 1 Power Cable AC Cord x 1 Accessories Display x 1, Stand x 1 (2 legs), Screw Driver x 1, Screws x 6, User Quick Start Guide x 1, User Manual x 1, Warranty Card x1 Remote Control Model No https://www.sceptre.com/Accessories/Remote-Control-814202</a 	Certifications	HDMI, ETL, Energy Guide
What's in the Box? Power Cable AC Cord x 1 Accessories Display x 1, Stand x 1 (2 legs), Screw Driver x 1, Screws x 6, User Quick Start Guide x 1, User Manual x 1, Warranty Card x1 Remote Control Model No https://www.sceptre.com/Accessories/Remote-Control-814202</a 	Warranty	
Power Cable AC Cord x 1 Accessories Display x 1, Stand x 1 (2 legs), Screw Driver x 1, Screws x 6, User Quick Start Guide x 1, User Manual x 1, Warranty Card x1 Remote Control Model No https://www.sceptre.com/Accessories/Remote-Control-814202</a 	Limited Parts and Labor	One Year
Accessories Display x 1, Stand x 1 (2 legs), Screw Driver x 1, Screws x 6, User Quick Start Guide x 1, User Manual x 1, Warranty Card x1 Remote Control Model No <a< td=""> href="https://www.sceptre.com/Accessories/Remote-Control/TV-Remote-Control-814202"></a<>	What's in the Box?	
User Manual x 1, Warranty Card x1 Remote Control Model No <a< td=""> href="https://www.sceptre.com/Accessories/Remote-Control/TV-Remote-Control-814202</a<>	Power Cable	AC Cord x 1
Remote Control Model No <a< td=""> href="https://www.sceptre.com/Accessories/Remote-Control/TV-Remote-Control-814202"></a<>	Accessories	Display x 1, Stand x 1 (2 legs), Screw Driver x 1, Screws x 6, User Quick Start Guide x 1,
href="https://www.sceptre.com/Accessories/Remote-Control/TV-Remote-Control-814202		User Manual x 1, Warranty Card x1
	Remote Control Model No	<a< td=""></a<>
6670003C-product1054category19category69.html">8142026670003C		href="https://www.sceptre.com/Accessories/Remote-Control/TV-Remote-Control-814202
		6670003C-product1054category19category69.html">8142026670003C





LED

With sharper contrasts of light and darks, LED display delivers a vast array of rich colors, ensuring that moving images have never been so pleasing to the eyes.



UHD Upscaling

Breathing new life into the colors of older movies and shows, UHD Upscaling upgrades SD, HD, FHD resolution nearly to the level of the masterful 4K picture quality the UHD display has to offer.



HDR

HDR (High Dynamic Range) delivers the most stunning brights and darks that the naked eye has ever witnessed on a 4K UHD TV.



Multiple Ports

For this 4K UHD TV, connectivity is key. Three HDMI ports ensure that images are sharply visible even during fast-paced action scenes. Component ports will support resolutions up to 1080P FHD. Connect to your favorite audio devices with the Optical and LineOut Audio outputs.



HDMI 2.0

HDMI 2.0 connects all your favorite devices - game consoles, blu-ray devices, laptops - and delivers the best version of the visual and audio content on the 4K display.



HDCP 2.2

HDCP 2.2 ensures that all the 4K content that is transferred from a source (Blu-Ray player, DVD player, etc.) to the display (the TV) is secured with copyright protection.





USB Port

Let's you view your pictures as a slideshow or listen to your favorite music via the USB port. Just insert your flash drive into the USB port for the ultimate entertainment.



ARC (Audio Return Channel) uses a

single HDMI connection to send

audio from a TV to a sound bar or

ARC

AV receiver.



CEC

The CEC (Consumer Electronics Control) feature effortlessly allows users to control HDMI connected devices with only one remote.



VESA Wall Mountable

The VESA wall mount provides the ideal position to view your TV and eliminates cable clutter, contributing a stylishly modern addition to your decor.



Customer Service

Our customer service representatives are, and have always been, based in the USA, guaranteeing that our customers' needs are met as efficiently as possible.



30+ Years of Experience

Founded in City of Industry, CA over 30 years ago, Sceptre Inc. made a promise to create & deliver superior products for remarkably affordable prices, a rare tradition that continues today.