

U325W-UPT 27" 4K UHD Monitor



Specification

~	a 1 i	- N	Ţ
- 1	2.11	<u></u>	

Display	
Active Screen Size	32" Diagonal Viewable
Panel Type	IPS (In-Plane Switching)
Native Resolution	3840 x 2160 Ultra HD
Refresh Rate	Up to 70Hz Refresh Rate
Aspect Ratio	16:9 Widescreen
Response Time	7 ms (G-to-G) with OD
Pixel Pitch	0.1816mm(H) x 0.1816mm(V)
Dynamic Contrast Ratio	1,000,000:1
Color Gamut	sRGB: 100%
Color Depth	1.08B
Contrast Ratio	1,000:1
Brightness (Typ.)	350 cd/m ²
Viewing Angle	Vertical: 178° / Horizontal: 178°
Backlight Life	30,000+ Hours
Anti-Flicker	Yes
Surface Treatment	Antiglare, Hard coating (3H)

SCEPTRE®				
Features				
On Screen Display Control (OSD)	Quick Start, Picture, Color, System			
Color Temperature	Warm, Normal (Default), Cool, User			
Picture Presets	Standard, User, Movie, Eco, FPS, RTS			
Game Presets	FPS and RTS			
OSD Supported Languages	English (Default), French, Spanish , Chinese			
Blue Light Shift	Available			
Auto Dynamic Contrast Mode	Available			
Wall Mountable	Yes			
Energy Guide	Yes			
Gamma	Adjustable			
Audio Features				
Speakers	2₩/4Ω			
Inputs & Outputs				
HDMI (# of Ports & Version)	2 x HDMI 2.1			
Supported HDMI Signals	Up to 3840 x 2160 @ 60Hz; 480i, 480p, 720p, 1080i, 1080p, 4k2k			
DP (# of Ports & Version)	2 x DP 1.4			
Supported DP Signals	Up to 3840 x 2160 @ 70Hz; 480i, 480p, 720p, 1080i, 1080p, 4k2k			
3.5mm Headphone Jack (Output)	3.5mm Mini-Jack for External Speaker / Headphone			
Mechanical Features				
Tilt	Backward: 15° Forward: 5°			
Neck / Stand Detachable	Yes			
VESA Mount Pattern (mm)	100mm x 100mm			
VESA Mount Screw Size (mm)	M4 x 10mm			
Stand Screw Size & Quantity (mm)	M4 x 10mm (4Pcs)			
Dimensions				
With Stand (inches, $W \times H \times D$)	28.14" x 20.30" x 8.80"			
Without Stand (Inches, W x H x D)	28.14" x 16.70" x 2.85"			
Carton Box Dimension (inches, W x H x D)32.44" x 21.26" x 6.97"				
Weight				
Net Weight with Stand (lbs)	16.87 lbs			
Net Weight without Stand (lbs)	14.5 lbs			
Gross Weight (lbs)	23.55 lbs			
Power				
Power Range (V, A, Hz)	100 - 240V~, 50/60Hz, 12V4A			
Power Consumption (Typical)	40W			
Standby	0.15W			
Sleep	0.2W			
Off	0.12W			
Regulations / Certifications				
Regulations	FCC, cTUVus, ISTA 6A			
Certifications	HDMI			

SCEPTRE®	
Warranty	
Limited Parts and Labor	One Year
What's in the Box?	
Power Cable	AC Power Cable x 1
Display Cable	DP Cable x 1
Accessories	Monitor Display x 1, Base x 1, Neck x 1, Base Screws x 2, Neck Screws x 3, Screwdriver x
	1, User Manual x 1



Key Features

4K UHD Resolution

Experience unmatched clarity and vibrancy with Sceptre 4K displays.



Meet New Colors.

IPS Display Panel 99% sRGB Color Gamut The wider color gamut combine with IPS display allows for reproduction endatic color reproduction enhancing the overall visus







IPS Panel

Brightness

Your Productivity Starts Here



Productivity